




## Countertop Pharmacy Essential Refrigerator 47L

- ✓ 2°C to 8°C temperature range
- ✓ External digital controller and temperature display
- ✓ Fitted lock and 2 keys
- ✓ Audible and visual temperature alarms

## Specification: Countertop Pharmacy Essential Refrigerator 47L

<b>Gross Capacity (litres)</b>	47
<b>Net Capacity (litres)</b>	30
<b>Unit External Width (mm)</b>	480
<b>Unit External Depth (mm)</b>	505
<b>Unit External Height (mm)</b>	565
<b>Product Weight (kg)</b>	17.5
<b>Packed Width (mm)</b>	490
<b>Packed Depth (mm)</b>	530
<b>Packed Height (mm)</b>	620
<b>Packed Weight (kg)</b>	21
<b>Country of Origin</b>	UK
<b>Internal Dimensions (mm) (WxDxH)</b>	400 x 230 x 415
<b>Temperature Range</b>	+2°C to +8°C (set point tolerance + or - 2)
<b>Colour</b>	White/Green
<b>External Finish</b>	Painted Steel
<b>Internal Finish</b>	HIPS*
<b>Type of plastic</b>	SRL800 (HIPS/ABS mix)
<b>Door Finish</b>	Painted Steel / Solid
<b>Door Type</b>	Solid
<b>Door Style</b>	Hinged, Reversible
<b>Door Open Depth (mm)</b>	905
<b>Replacement Door Seal</b>	No
<b>Open Door Sensor</b>	Yes
<b>Lock</b>	Yes, 2 Keys
<b>Adjustable Feet (number &amp; position)</b>	4 - All adjustable
<b>Porthole</b>	No
<b>Porthole Size</b>	N/A
<b>Porthole Location</b>	N/A
<b>Temperature Display on Panel</b>	Yes
<b>Temperature Alarm</b>	Yes
<b>Remote Alarm Contacts</b>	No
<b>Audible Alarms</b>	Yes
<b>Visual Alarms</b>	Yes
<b>Number of Shelves</b>	1
<b>Number of Shelf Positions</b>	3
<b>Shelf Size (mm) (WxDxH)</b>	416 X 200
<b>Shelf Material</b>	Wire
<b>Number of Baskets</b>	1
<b>Basket Material</b>	Wire
<b>Basket Size (mm) (WxDxH)</b>	396 x 165
<b>Interior Light</b>	No
<b>Light Type</b>	N/A
<b>Light Activation</b>	N/A
<b>Fan</b>	Yes - Axial
<b>Spark Free</b>	No
<b>Auto or Manual Defrost</b>	None
<b>Controller Type</b>	Digital, External
<b>Number of Probes</b>	1
<b>Probe Type</b>	Air
<b>Climate Class</b>	SN
<b>Refrigerant Type</b>	R600a
<b>CFC Free</b>	Yes
<b>HFC Free</b>	Yes

**Specification:** Countertop Pharmacy Essential Refrigerator 47L



<b>HCFC Free</b>	Yes
<b>Ammonia Free</b>	Yes
<b>Voltage Supply</b>	230v
<b>Insulation Thickness (mm)</b>	40
<b>Insulation Type</b>	High Density Polyurothane Foam
<b>Blowing Agent</b>	Cyclopentane
<b>Anti Microbial Handle</b>	Yes
<b>Optional Drawer System Available</b>	No
<b>Wall Brackets</b>	Yes
<b>Digital Lock</b>	No

